

Human Genetics

Volume 99 1997

Editorial Board

A. G. Motulsky, Seattle
R. L. Nussbaum, Bethesda
K. Sperling, Berlin

F. Vogel, Heidelberg
U. Wolf, Freiburg i. Br.

Advisory Board

S. E. Antonarakis, Geneva
A. Ballabio, Milan and Siena
M. P. Baur, Bonn
A. Beaudet, Houston
D. N. Cooper, Cardiff
T. Cremer, München
A. Czeizel, Budapest
C. Distèche, Seattle
J. T. Epplen, Bochum
C. J. Epstein, San Francisco
M. Fraccaro, Pavia
U. Francke, Stanford
S. Gartler, Seattle
K.-H. Grzeschik, Marburg
J. G. Hall, Vancouver
H. Hoehn, Würzburg
J. Horst, Münster
B. Horsthemke, Essen
P. A. Jacobs, Salisbury
Y. W. Kan, San Francisco
H. H. Kazazian, Jr., Baltimore
M. Krawczak, Cardiff
W. Krone, Ulm

J.-M. Lalouel, Salt Lake City
H. Lehrach, Berlin
M. Mikkelsen, Glostrup
O. J. Miller, Detroit
U. Müller, Giessen
A. Munnich, Paris
Y. Nakamura, Tokyo
M. Olson, Seattle
J. Ott, New York
E. Passarge, Essen
P. Propping, Bonn
H.-H. Ropers, Berlin
A. Schinzel, Zurich
J. Schmidtke, Hannover
C. R. Scriver, Montreal
J. Spranger, Mainz
G. R. Sutherland, North Australia
G. Utermann, Innsbruck
W. Vogel, Ulm
D. Warburton, New York
B. Wieringa, Nijmegen
E. Wijsman, Seattle
B. Zabel, Mainz



Springer

Human Genetics

Human Genetics was founded in 1964 and published up to Vol. 30 as Humangenetik – Human Genetics – Génétique humaine

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), all translation rights as well as the rights to publish the article in any electronic form. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, on video disks, etc., without prior written consent from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limita-

tions stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-6717, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not extend to copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, Canada Institute for Scientific and Technical Information, Ottawa K1A 0S2, Canada (Tel.: (613) 993-9251; Fax: (613) 952-8243; e-mail: cisti.docdel@nrc.ca).

This journal is included in the Springer Journals Preview Service, i.e. the tables of contents and BiblioAbstracts are available via Internet several weeks before the new issue reaches the subscribers. Tables of contents are free of charge; BiblioAbstracts are available for a small annual fee. Details can be obtained by sending an e-mail message containing the line help to svjps@vax.ntp.springer.de.

Printers

Schneider Druck GmbH,
Rothenburg ob der Tauber, Germany

© Springer-Verlag Berlin Heidelberg 1997

Springer-Verlag GmbH & Co. KG,
Berlin, Germany

Printed in Germany



Springer

Contents of Volume 99 • 1997

- Adachi T → Takai S
Adam G → Tzetis M
Aguiar Á → Rocha J
Ahn J → Wells DE
Akaboshi S, Yano T, Miyawaki S, Ohno K, Takeshita K: A C57BL/KsJ mouse model of Niemann-Pick disease (spm) belongs to the same complementation group as the major childhood type of Niemann-Pick disease type C 350
Akkoren Z → Naom I
Alanen-Kurki L → Kaukonen J
Albuisson E → Baranova H
Alford RL, Margolis RL, Ross CA, Richards CS: Southern analysis for detection of CAG repeat expansions associated with dentatorubral pallidoluysian atrophy 354
Alterman L → Jones AM
Amaechi I → Sathasivam K
Amaravadi R, Glerum DM, Tzagoloff A: Isolation of a cDNA encoding the human homolog of *COX17*, a yeast gene essential for mitochondrial copper recruitment 329
Amil-Dias J → Rocha J
Amoiridis G → Riess O
Amorim A → Rocha J
Anello G → Argiolas A
Angelicheva D, Calafell F, Savov A, Jordanova A, Kufardjieva A, Galeva I, Nedkova V, Ivanova T, Yankova P, Konstantinova D, Genev E, Kalaydjieva L: Cystic fibrosis mutations and associated haplotypes in Bulgaria – a comparative population genetic study 513
Annerén G → Edman Ahlbom B
Antonarakis SE → Chen H
Antonarakis SE → Scott HS
Antoniadi T → Tzetis M
Ao A → Delhanty JDA
Argiolas A, Bosco P, Cali F, Ceratto N, Anello G, Riva E, Biasucci G, Carducci C, Romano V: Two novel PAH gene mutations detected in Italian phenylketonuric patients 275
Argyrokastitis A, Kamakari S, Kapse-taki M, Kritis A, Talianidis I, Moscho-nas NK: Human hepatocyte nuclear factor-4 (hHNF-4) gene maps to 20q12–q13.1 between PLCG1 and D20S17 233
Arpa J → Bort S
Arrigo P → Scartezzini P
Arwert F → Savoia A
Assum G → Kehrer-Sawatzki H
Atkin CL → Barker DF
Aulepp U → Mehraein Y
Bader S → Latif F
Baggio G → De Benedictis G
Baiget M → Martínez-Mir A
Balcels S → Martínez-Mir A
Baranov VS → Baranova H
Baranova H, Perriot J, Albuisson E, Ivaschenko T, Baranov VS, Hemery B, Mouraire P, Riol N, Malet P: Peculiarities of the GSTM1 0/0 genotype in French heavy smokers with various types of chronic bronchitis 822
Barbaux S → Veitia R
Barclay L → Martin RH
Barker DF, Denison JC, Atkin CL, Gregory MC: Common ancestry of three Ashkenazi-American families with Alport syndrome and COL4A5 R1677Q 681
Barth H → Mehraein Y
Baser ME → Kluwe L
Bates G → Sathasivam K
Battaglia PA → Tartaglia M
Battaglia S → Jeunemaitre X
Batzler MA → Zucman-Rossi J
Baumgartner R → Pomponio RJ
Bayer S → Kluwe L
Bayés M → Martínez-Mir A
Beatty TH → Wyszynski DF
Beck B → Brøndum-Nielsen K
Beck M → Coutre P le
Beck NE, Tomlinson IPM, Homfray T, Fraying I, Hodgson SV, Harocopos C, Bodmer WF: Use of SSCP analysis to identify germline mutations in HNPCC families fulfilling the Amsterdam criteria 219
Beerendonk H van → Willemsen R
Bejaoui M → Fathallah DM
Benelli C → Marsac C
Beneyto M → Martínez-Mir A
Benomar A → Krols L
Bensimon A → Kraus J
Bernini LF → Harteveld KL
Bertolini S → De Benedictis G
Bertranpetit J → Comas D
Bertranpetit J → Pérez-Lezaun A
Betz R → Farnebo F
Beutler E → Coutre P le
Bever Y van → Madan K
Biasucci G → Argiolas A
Bickers DR → Lam HM
Bishop DT → Dobbie Z
Blanco J → Colls P
Blanco J, Rubio C, Simon C, Egozcue J, Vidal F: Increased incidence of disomic sperm nuclei in a 47,XXX male assessed by fluorescent in situ hybridization (FISH) 413
Blanquet V → Miniou P
Blichfeldt S → Schwartz M
Bloch Petersen M → Brøndum-Nielsen K
Bode H → Kehrer-Sawatzki H
Bodmer WF → Beck NE
Boles RG → Wu B-L
Bolhuis PA → Janssen EAM
Bontron S, Steimle V, Ucla C, Eibl MM, Mach B: Two novel mutations in the MHC class II transactivator CIITA in a second patient from MHC class II deficiency complementation group A 541
Börjglum AD, Flint T, Hansen LL, Kruse TA: Refined localization of the pyruvate dehydrogenase E1 α gene (PDHA1) by linkage analysis 80
Bort S, Nelis E, Timmerman V, Sevilla T, Cruz-Martínez A, Martínez F, Millán JM, Arpa J, Vilchez JJ, Prieto F, Van Broeck-hoven C, Palau F: Mutational analysis of the MPZ, PMP22 and Cx32 genes in patients of Spanish ancestry with Charcot-Marie-Tooth disease and hereditary neuropathy with liability to pressure palsies 746
Bosch E → Comas D
Bosco P → Argiolas A
Bourc'his D → Miniou P
Bresson JL → Mercier S
Briard M-L → Toutain A
Brice A → Krols L
Brinkmann AO → Koper JW
Brøndum-Nielsen K, Beck B, Gyftodimou J, Hørlyk H, Liljeborg U, Bloch Petersen M, Pedersen W, Petersen MB, Sand A, Skovby F, Stafanger G, Zetterqvist P, Tommerup N: Investigation of deletions at 7q11.23 in 44 patients referred for Williams-Beuren syndrome, using FISH and four DNA polymorphisms 56
Brown N → Wells DE
Bryant SP → Deckert J
Buck GA → Pomponio RJ
Buist NRM → Vervoort R
Bunyan DJ → Robinson DO
Buroker NE → Chen S-H
Bustos R → Villalobos-Arámbula AR
Calafell F → Angelicheva D
Calafell F → Comas D
Calafell F → Pérez-Lezaun A
Cali F → Argiolas A
Cant A → Jones AM
Capeau J → Milon L
Cardoso-Rodrigues F → Rocha J
Carducci C → Argiolas A
Carmen Valero M, Pascual-Castroviejo I, Velasco E, Moreno F, Hernández-Chico C: Identification of de novo deletions at the NF1 gene: no preferential paternal origin and phenotypic analysis of patients 720
Carpenter K → Morgan K
Carson E → Weber G
Casas-Castañeda M → Villalobos-Arámbula AR
Cassaigne A → Coutelle C
Cave S → Morgan K
Ceratto N → Argiolas A
Chae JJ, Park YB, Kim SH, Hong SS, Song GJ, Han KH, Namkoong Y, Kim HS, Lee CC: Two partial deletion mutations involving the same Alu sequence within intron 8 of the LDL receptor gene in Korean patients with familial hypercholesterolemia 155
Chambrin H → Coutelle C
Champion G → Oudet C
Chance PF → Yamamoto M
Chang J-G → Lee H-H
Chao H-T → Lee H-H
Chao J → Song Q
Chao L → Song Q
Charnas L → Nussbaum RL
Chater K → Fathallah DM
Chaturvedi LS → Singh V

- Chen H, Antonarakis SE: Localisation of a human homologue of the *Drosophila mnb* and rat *Dyrk* genes to chromosome 21q22.2 262
- Chen H → Scott HS
- Chen S-H, Schoof JM, Buroker NE, Scott CR: The identification of a (CGG)₆AGG insertion within the CGG repeat of the FMR1 gene in Asians 793
- Chevret E, Rousseaux S, Monteil M, Usson Y, Cozzi J, Pelletier R, Sèle B: Meiotic behaviour of sex chromosomes investigated by three-colour FISH on 35142 sperm nuclei from two 47,XXY males 407
- Chibani J → Veitia R
- Chinault AC → Nussbaum RL
- Christian SL → Huang B
- Christiano AM → Lam HM
- Clark PA → Jones AM
- Claussen U → Eggeling F von
- Clerget-Darpoux F → Legeai-Mallet L
- Colella S → Scartezzini P
- Collée JM → Vries HG de
- Collier D → Lin M-W
- Colls P, Blanco J, Martínez-Pasarell O, Vidal F, Egozcue J, Márquez C, Guitart M, Templado C: Chromosome segregation in a man heterozygous for a pericentric inversion, inv(9)(p11q13), analyzed by using sperm karyotyping and two-color fluorescence in situ hybridization on sperm nuclei 761
- Comas D, Calafell F, Mateu E, Pérez-Lezaun A, Bosch E, Bertranpetit J: Mitochondrial DNA variation and the origin of the Europeans 443
- Comas D → Pérez-Lezaun A
- Constantinides R, Xenophontos S, Neophytou P, Nomura S, Pierides A, Constantinou Deltas C: New amino acid polymorphism, Ala/Val4058, in exon 45 of the polycystic kidney disease 1 gene: evolution of alleles 644
- Constantinou Deltas C → Constantinides R
- Cooper DN → Upadhyaya M
- Courbon D → Jeunemaitre X
- Courseaux A → Lassam NJ
- Coutelle C, Ward PJ, Fleury B, Quattrocchi P, Chambrin H, Iron A, Couzigou P, Cassaigne A: Laryngeal and oropharyngeal cancer, and alcohol dehydrogenase 3 and glutathione S-transferase M1 polymorphisms 319
- Coutinho Barbosa AC → Miniou P
- Coutre P le, Demina A, Beutler E, Beck M, Petrides PE: Molecular analysis of Gaucher disease: distribution of eight mutations and the complete gene deletion in 27 patients from Germany 816
- Couzigou P → Coutelle C
- Cozzi J → Chevret E
- Cremer M → Kraus J
- Cremer T → Kraus J
- Crolla JA → Huang B
- Cruz-Martínez A → Bort S
- Cunha E → Ribeiro ML
- Cutting GR → Macek M Jr
- Dagna-Bricarelli F → Savoia A
- Daimon M, Gojyou E, Sugawara M, Yamatani K, Tominaga M, Sasaki H: A novel missense mutation in exon 4 of the human coproporphyrinogen oxidase gene in two patients with hereditary coproporphyruria 199
- Dain L → Martínez-Mir A
- D'Alessandro M → Naom I
- Dallapiccola B → Digilio MC
- Dallapiccola B → Savoia A
- Danesino C → Piantanida M
- Dard P, Huck S, Fripiat J-P, Lefranc G, Langaney A, Lefranc M-P, Sanchez-Mazas A: The IGHG3 gene shows a structural polymorphism characterized by different hinge lengths: sequence of a new 2-exon hinge gene 138
- Darmon O → Jeunemaitre X
- David DJ → Hollway GE
- David G → Krols L
- De Benedictis G, Falcone E, Rose G, Ruffolo R, Spadafora P, Baggio G, Bertolini S, Mari D, Mattace R, Monti D, Morellini M, Sansoni P, Franceschi C: DNA multiallelic systems reveal gene/longevity associations not detected by diallelic systems. The APOB locus 312
- Deckert J, Nöthen MM, Bryant SP, Schuffenhauer S, Schofield PR, Spurr NK, Propping P: Mapping of the human adenosine A_{2a} receptor gene: relationship to potential schizophrenia loci on chromosome 22q and exclusion from the CATCH 22 region 326
- Delage-Mourroux R → Pichaud F
- Delattre O → Zucman-Rossi J
- Delhanty JDA → El-Hashemite N
- Delhanty JDA, Harper JC, Ao A, Handyside AH, Winston RML: Multicolour FISH detects frequent chromosomal mosaicism and chaotic division in normal preimplantation embryos from fertile patients 755
- Dellagi K → Fathallah DM
- Dellavecchia C → Piantanida M
- De Long R → Isozumi K
- De Meirleir L → Marsac C
- Demina A → Coutre P le
- Denison JC → Barker DF
- De Paepe A, Nuytinck L, Raes M, Fryns J-P: Homozygosity by descent for a COL1A2 mutation in two sibs with severe osteogenesis imperfecta and mild clinical expression in the heterozygotes 478
- Desguerre I → Marsac C
- Dessay B → Toutain A
- Devriendt K → Vermeesch JR
- Diebold B → Jeunemaitre X
- Die-Smulders CEM de → Janssen EAM
- Digilio MC, Marino B, Giannotti A, Dallapiccola B: Noonan syndrome with cardiac left-sided obstructive lesions 289
- Di Rocco C → Tartaglia M
- Diry M → Marsac C
- Dobbie Z, Heinemann K, Bishop DT, Müller H, Scott RJ: Identification of a modifier gene locus on chromosome 1p35-36 in familial adenomatous polyposis 653
- Dordi B → Piantanida M
- Dotzenrath C → Farnebo F
- Doudounakis S → Tzetis M
- Dragan L → Lam HM
- Drayna D → Goto M
- Duba H-C → Erdel M
- Dubowitz V → Naom I
- Ducimetière P → Jeunemaitre X
- Dürr A → Krols L
- Duh F-M → Latif F
- Dumont C → Jeunemaitre X
- Edman Ahlbom B, Yaqoob M, Larsson A, Ilicki A, Annerén G, Wadelius C: Genetic and linkage analysis of familial congenital hypothyroidism: exclusion of linkage to the TSH receptor gene 186
- Egeo A → Scartezzini P
- Eggeling F von, Michel S, Günther M, Schimmel B, Claussen U: Determination of the origin of single nucleated cells in maternal circulation by means of random PCR and a set of length polymorphisms 266
- Eggermann T, Engels H, Heidrich-Kaul C, Moderau I, Schwanitz G: Molecular investigation of the parental origin of a de novo unbalanced translocation 13/18 521
- Egozcue J → Blanco J
- Egozcue J → Colls P
- Eiberg H → Jonasdottir A
- Eibl MM → Bontron S
- El-Hashemite N, Petrou M, Khalifa AS, Heshmat NM, Rady MS, Delhanty JDA: Identification of novel Asian Indian and Japanese mutations causing β -thalassaemia in the Egyptian population 271
- Endreffy E → Zsurka G
- Engel W → Guttenbach M
- Engels H → Eggermann T
- Ennis K → Veitia R
- Epplen C, Epplen JT, Frank G, Mitterski B, Santos EJM, Schöls L: Differential stability of the (GAA)_n tract in the Friedreich ataxia (STM7) gene 834
- Epplen C, Santos EJM, Guerreiro JF, Helden P van, Epplen JT: Coding versus intron variability: extremely polymorphic *HLA-DRB1* exons are flanked by specific composite microsatellites, even in distant populations 399
- Epplen JT → Epplen C
- Epplen JT → Haupt A
- Epplen JT → Riess O
- Erdel M, Duba H-C, Verdorfer I, Lingenhel A, Geiger R, Gutenberger K-H, Ludescher E, Utermann B, Utermann G: Comparative genomic hybridization reveals a partial de novo trisomy 6q23-pter in an infant with congenital malformations: delineation of the phenotype 596
- Erent M → Milon L
- Ernst S → Martin RH
- Estivill X → Pujana MA
- Faizunnessa NN, Tsuchiya T, Kumatori A, Kurozumi H, Imajoh-Ohmi S, Kanegasaki S, Nakamura M: A 25-kb deletion in the 5' region of the cytochrome b₅₅₈ heavy chain gene (CYBB) in a patient with X-linked chronic granulomatous disease 469
- Falcone E → De Benedictis G

- Faraco J → Liu W
 Farnebo F, Teh BT, Dotzenrath C, Wassif WS, Svensson A, White I, Betz R, Goretzki P, Sandelin K, Farnebo L-O, Larsson C: Differential loss of heterozygosity in familial, sporadic, and uremic hyperparathyroidism 342
 Farnebo L-O → Farnebo F
 Fathallah DM, Bejaoui M, Lepaslier D, Chater K, Sly WS, Dellagi K: Carbonic anhydrase II (CA II) deficiency in Maghrebians patients: evidence for founder effect and genomic recombination at the CA II locus 634
 Fellous M → Veitia R
 Ferlini A → Naom I
 Fernandez Galan MA → Ribeiro ML
 Ferraris AM, Mangerini R, Gaetani GF, Romei C, Pinchera A, Pacini F: Polyclonal origin of medullary carcinoma of the thyroid in multiple endocrine neoplasia type 2 202
 Ferrell RE → Haviland MB
 Ferrell RE → Ishwad CS
 Fichera M, Spalletta A, Fiorenza F, Lombardo T, Schilirò G, Tamouza R, Lapoumeroulie C, Labie D, Ragusa A: Molecular basis of α -thalassemia in Sicily 381
 Fiorenza F → Fichera M
 Fischer C → Kraus J
 Fisher E: Reply 698
 Fisher EMC → Hoyle J
 Fleury B → Coutelle C
 Flint T → Børglum AD
 Floridia G → Piantanida M
 Fodde R → Harteveld KL
 Fontan D → Marsac C
 Fouque F → Marsac C
 Francannet C → Toutain A
 Franceschi C → De Benedictis G
 Francke U → Liu W
 Francke U → Schrijver I
 Frank G → Epplen C
 Frayling I → Beck NE
 Friedman E → Weber G
 Fripiat J-P → Dard P
 Fritz B → Mehraein Y
 Fryns J-P → De Paep A
 Fryns J-P → Vermeesch JR
 Fryns J-P → Vervoort R
 Fünsterer C → Kluwe L
 Fujimori S, Sakuma R, Yamaoka N, Hakoda M, Yamanaka H, Kamatani N: An asymptomatic germline missense base substitution in the hypoxanthine phosphoribosyltransferase (HPRT) gene that reduces the amount of enzyme in humans 8
 Fujimoto M → Matsumoto N
 Fujiwara Y, Miwa M, Nogami M, Okumura K, Nobori T, Suzuki T, Ueda M: Genomic organization and chromosomal localization of the human casein gene family 368
 Fukushima S → Mori Y
 Fukushima Y → Matsumoto N
 Fukuyama Y → Kondo-Iida E
 Fumagalli P → Scartezzini P
 Furneaux H → Ma W-J
 Furuichi Y → Goto M
 Furusho K → Yorifuji T
 Fuzikawa AK → Haddad LA
 Gabb HA → Robinson DO
 Gaetani GF → Ferraris AM
 Galeva I → Angelicheva D
 Galjaard H → Willemsen R
 Garcia-Delgado C → Wyszynski DF
 Gaudray P → Lassam NJ
 Gecz J → Hollway GE
 Geiger R → Erdel M
 Geil L → Latif F
 Genet S → Jones AM
 Genev E → Angelicheva D
 Geurts van Kessel A → Wit MJ de
 Giannotti A → Digilio MC
 Giersberg M → Mehraein Y
 Giglio S → Piantanida M
 Giordano PC → Harteveld KL
 Glerum DM → Amaravadi R
 Goerz G → Lam HM
 Gojyou E → Daimon M
 Gonçalves P → Ribeiro ML
 González-Duarte R → Martínez-Mir A
 Goretzki P → Farnebo F
 Goto M, Imamura O, Kuromitsu J, Matsumoto T, Yamabe Y, Tokutake Y, Suzuki N, Mason B, Drayna D, Sugawara M, Sugimoto M, Furuichi Y: Analysis of helicase gene mutations in Japanese Werner's syndrome patients 191
 Green ED → Van Laer L
 Gregory MC → Barker DF
 Grimmond S → Weber G
 Grinberg D → Martínez-Mir A
 Grobbee DE → Koper JW
 Gu LH → Ribeiro ML
 Günther M → Eggeling F von
 Guernonprez J-L → Jeunemaitre X
 Guerreiro JF → Epplen C
 Guicheney P → Naom I
 Guillauneuf M-T → Jeunemaitre X
 Guitart M → Colls P
 Guize L → Jeunemaitre X
 Gutenberg K-H → Erdel M
 Gutiérrez E → Villalobos-Arámbula AR
 Guttenbach M, Michelmann HW, Hinney B, Engel W, Schmid M: Segregation of sex chromosomes into sperm nuclei in a man with 47,XXY Klinefelter's karyotype: a FISH analysis 474
 Gyftodimou J → Brøndum-Nielsen K
 Haan A de → Willemsen R
 Haan EA → Hollway GE
 Haase W → Kluwe L
 Haddad LA, Fuzikawa AK, Pena SDJ: Simultaneous detection of size and sequence polymorphisms in the transcribed trinucleotide repeat *D2S196E* (EST00493) 796
 Häussler J → Kehrer-Sawatzki H
 Hakoda M → Fujimori S
 Hakoda M, Kamatani N, Kurumada S, Hirai Y, Sakamoto K, Yamanaka H, Terai C, Kashiwazaki S: Intervention of somatic mutational events in vivo by a germline defect at the adenine phosphoribosyltransferase locus 164
 Hamosh A → Macek M Jr
 Han KH → Chae JJ
 Hanauer A → Oudet C
 Handyside AH → Delhanty JDA
 Hansen LL → Børglum AD
 Harocopos C → Beck NE
 Harper JC → Delhanty JDA
 Harrington C → Morgan K
 Harteveld KL, Losekoot M, Fodde R, Giordano PC, Bernini LF: The involvement of Alu repeats in recombination events at the α -globin gene cluster: characterization of two α^0 -thalassaemia deletion breakpoints 528
 Hasegawa T → Ogata T
 Haupt A, Schöls L, Przuntek H, Epplen JT: Polymorphisms in the *PMP-22* gene region (17p11.2-12) are crucial for simplified diagnosis of duplications/deletions 688
 Havekes LM → Lombardi P
 Haviland MB, Ferrell RE, Sing CF: Association between common alleles of the low-density lipoprotein receptor gene region and interindividual variation in plasma lipid and apolipoprotein levels in a population-based sample from Rochester, Minnesota 108
 Hayasaka K → Yamamoto M
 Hayward N → Weber G
 Hazim W → Kluwe L
 Heidrich-Kaul C → Eggermann T
 Heiman M → Oksanen L
 Heinemann K → Dobbie Z
 Helbling-Leclerc A → Naom I
 Helden P van → Epplen C
 Hemery B → Baranova H
 Hemmings GP → Wei J
 Hensels GW → Janssen EAM
 Hernández-Chico C → Carmen Valero M
 Heshmat NM → El-Hashemite N
 Hill A → Wells DE
 Hillig U → Mehraein Y
 Hinney B → Guttenbach M
 Hinoda Y → Takai S
 Hirai Y → Hakoda M
 Hirose S → Nishiyori A
 Hirsch-Kauffmann M → Ruppitsch W
 Hisa T → Nakamura M
 Hodgson SV → Beck NE
 Hoeller H → Piantanida M
 Höppner JWM → Wit MJ de
 Hollway GE, Suthers GK, Haan EA, Thompson E, David DJ, Gecz J, Mulley JC: Mutation detection in *FGFR2* craniosynostosis syndromes 251
 Homfray T → Beck NE
 Hong SS → Chae JJ
 Hoogendijk JE → Janssen EAM
 Horii A → Mori Y
 Hørlyk H → Brøndum-Nielsen K
 Horsthemke B → Nardmann J
 Hoshida R → Nishiyori A
 Hoyle J, Tan KH, Fisher EMC: Localization of genes encoding two human one-domain members of the AAA family: PSMC5 (the thyroid hormone receptor-interacting protein, TRIP1) and PSMC3 (the Tat-binding protein, TBP1) 285
 Huang B, Crolla JA, Christian SL, Wolf-Ledbetter ME, Macha ME, Papenhausen PN, Ledbetter DH: Refined molecular characterization of the breakpoints in small inv dup(15) chromosomes 11

- Huck S → Dard P
 Hughes A → Schwiebert LM
 Huisman THJ → Ribeiro ML
 Huizenga NATM → Koper JW
 Huizing EH → Van Laer L
 Hung W-Y → Isozumi K
 Hwu H-G → Lin M-W
 Hymes J → Pomponio RJ
- Ibarra B → Villalobos-Arámbula AR
 Ikegami T → Yamamoto M
 Ilicki A → Edman Ahlbom B
 Imai K → Takai S
 Imajoh-Ohmi S → Faizunnessa NN
 Imamura O → Goto M
 Ion A → Veitia R
 Irizawa Y → Yuasa I
 Iron A → Coutelle C
 Ishihara T → Kondo-Iida E
 Ishimoto G → Suzuki K
 Ishwad CS, Shriver MD, Lassige DM, Ferrell RE: The high mobility group I-C gene (HMG1-C): polymorphism and genetic localization 103
 Isozumi K, DeLong R, Kaplan J, Hung W-Y, Siddique T: Exclusion of the expansion of CAG/CTG repeats at thirteen loci on chromosome 12 as a candidate genetic mutation in scapuloperoneal spinal muscular atrophy with anticipation 701
 Ito S → Suzuki K
 Ivanova T → Angelicheva D
 Iványi B → Zsurka G
 Ivaschenko T → Baranova H
 Iwamoto S → Li J
 Iwata M → Suzuki K
- Jacobovitz O → Weber G
 Jänne OA → Oksanen L
 Jänne PA → Nussbaum RL
 Jalkanen M → Kaukonen J
 Janssen EAM, Kemp S, Hensels GW, Sie OG, Die-Smulders CEM de, Hoogen-dijk JE, Visser M de, Bolhuis PA: Connexin32 gene mutations in X-linked dominant Charcot-Marie-Tooth disease (CMTX1) 501
 Jauch A → Kraus J
 Jeanpierre M → Miniou P
 Jenkins MM, Prchal JT: A high-frequency polymorphism of NADH-cytochrome b5 reductase in African-Americans 248
 Jenkins T → Stevens G
 Jenne DE → Kehrer-Sawatzki H
 Jeunemaitre X, Ledru F, Battaglia S, Guillanneuf M-T, Courbon D, Dumont C, Darmon O, Guize L, Guernonprez J-L, Diebold B, Ducimetière P: Genetic polymorphisms of the renin-angiotensin system and angiographic extent and severity of coronary artery disease: the CORGENE study 66
 Jobling MA → Veitia R
 Joenje H → Savoia A
 Jonasdottir A, Eiberg H, Kjer B, Kjer P, Rosenberg T: Refinement of the dominant optic atrophy locus (OPA1) to a 1.4-cM interval on chromosome 3q28-3q29, within a 3-Mb YAC contig 115
 Jones AM, Clark PA, Katz F, Genet S, McMahon C, Alterman L, Cant A, Kinnon C: B-cell-negative severe combined immunodeficiency associated with a common γ chain mutation 677
 Jong FH de → Koper JW
 Jordanova A → Angelicheva D
 Jullienne A → Pichaud F
- Kainulainen K → Oksanen L
 Kajii E → Li J
 Kakudo K → Nakamura M
 Kalaydjieva L → Angelicheva D
 Kalsheker NA → Morgan K
 Kamakari S → Argyrokastritis A
 Kamatani N → Fujimori S
 Kamatani N → Hakoda M
 Kamerling S → Lombardi P
 Kaname A → Nakamura M
 Kanavakis E → Tzetis M
 Kanegasaki S → Faizunnessa NN
 Kaplan J → Isozumi K
 Kaplan J → Toutain A
 Kaprio J → Oksanen L
 Kapsetaki M → Argyrokastritis A
 Karl M → Koper JW
 Kashiwazaki S → Hakoda M
 Kate LP ten → Vries HG de
 Kato H → Nishiyori A
 Kato R → Matsumoto N
 Kattamis C → Tzetis M
 Katz F → Jones AM
 Kaukonen J, Alanen-Kurki L, Jalkanen M, Palotie A: The mapping and visual ordering of the human syndecan-1 and N-myc genes near the telomeric region of chromosome 2p 295
 Kawai M → Yorifuji T
 Kehrer-Sawatzki H, Häussler J, Krone W, Bode H, Jenne DE, Mehnert KU, Tümmers U, Assum G: The second case of a t(17;22) in a family with neurofibromatosis type 1: sequence analysis of the breakpoint regions 237
 Kemp S → Janssen EAM
 Khalifa AS → El-Hashemite N
 Kim HS → Chae JJ
 Kim MR → Upadhyaya M
 Kim SH → Chae JJ
 Kinnon C → Jones AM
 Kiyosawa H → Yamamoto M
 Kjer B → Jonasdottir A
 Kjer P → Jonasdottir A
 Kleijer WJ → Vervoort R
 Klocker H → Ruppitsch W
 Kluwe L, Bayer S, Baser ME, Hazim W, Haase W, Fünsterer C, Mautner V-F: Identification of NF2 germ-line mutations and comparison with neurofibromatosis 2 phenotypes (Erratum) 292
 Ko E → Martin RH
 Koivisto V → Oksanen L
 Komitowski D → Tzancheva M
 Kondo-Iida E, Saito K, Tanaka H, Tsuji S, Ishihara T, Osawa M, Fukuyama Y, Toda T: Molecular genetic evidence of clinical heterogeneity in Fukuyama-type congenital muscular dystrophy 427
 Konstantinova D → Angelicheva D
 Kontula K → Oksanen L
 Koper JW, Stolk RP, Lange P de, Huizenga NATM, Molijn G-J, Pols HAP, Grobbee DE, Karl M, Jong FH de, Brinkmann AO, Lamberts SWJ: Lack of association between five polymorphisms in the human glucocorticoid receptor gene and glucocorticoid resistance 663
 Korf BR → Wu B-L
 Koskenvuo M → Oksanen L
 Kraus J, Weber RG, Cremer M, Seebacher T, Fischer C, Schurra C, Jauch A, Lichter P, Bensimon A, Cremer T: High-resolution comparative hybridization to combed DNA fibers 374
 Krawczak M → Macek M Jr
 Krawczak M → Maynard J
 Krebsová A → Macek M Jr
 Kritis A → Argyrokastritis A
 Krols L, Martin J-J, David G, Van Rege-morter N, Benomar A, Löfgren A, Stevanin G, Dürr A, Brice A, Van Broeckhoven C: Refinement of the locus for autosomal dominant cerebellar ataxia type II to chromosome 3p21.1-14.1 225
 Krone W → Kehrer-Sawatzki H
 Kruse TA → Børglum AD
 Kufardjieva A → Angelicheva D
 Kumatori A → Faizunnessa NN
 Kuno T → Nishiyori A
 Kurlmann G → Stögbauer F
 Kuromaru R → Nishiyori A
 Kuromitsu J → Goto M
 Kurozumi H → Faizunnessa NN
 Kurumada S → Hakoda M
- Labad A → Pujana MA
 Labie D → Fichera M
 Lacombe M-L → Milon L
 Lagercrantz J → Weber G
 Lajic S, Levo A, Nikoshkov A, Lundberg Y, Partanen J, Wedell A: A cluster of missense mutations at Arg356 of human steroid 21-hydroxylase may impair redox partner interaction 704
 Lalioti MD → Scott HS
 Lam HM, Dragan L, Tsou HC, Merk H, Peacocke M, Goerz G, Sassa S, Poh-Fitzpatrick M, Bickers DR, Christiano AM: Molecular basis of variegate porphyria: a de novo insertion mutation in the protoporphyrinogen oxidase gene 126
 Lam L → Morgan K
 Lamberts SWJ → Koper JW
 Landsvater RM → Wit MJ de
 Langaney A → Dard P
 Lange P de → Koper JW
 Lapoumérie C → Fichera M
 Larsson A → Edman Ahlbom B
 Larsson C → Farnebo F
 Larsson C → Lassam NJ
 Larsson C → Weber G
 Lascu I → Milon L
 Lassam NJ, Lin Z, Shennan MG, Courseaux A, Teh BT, Gaudray P, Larsson C: Fine mapping of the MLK-3 gene within 11q13 and its exclusion as the MEN1 susceptibility gene 776
 Lassige DM → Ishwad CS
 Latif F, Duh F-M, Bader S, Sekido Y, Li H, Geil L, Zbar B, Minna JD, Lerman MI: The human homolog of the rodent immediate early response genes, PC4 and TIS7, resides in the lung can-

- cer tumor suppressor gene region on chromosome 3p21 334
- Ledbetter DH → Huang B
- Ledru F → Jeunemaitre X
- Lee CC → Chae JJ
- Lee H-H, Chang J-G, Lin S-P, Chao H-T, Yang M-L, Ng H-T: Rapid detection of trisomy 21 by homologous gene quantitative PCR (HGQ-PCR) 364
- Lefranc G → Dard P
- Lefranc M-P → Dard P
- Legeai-Mallet L, Margaritte-Jeannin P, Lemdani M, Le Merrer M, Plauchu H, Maroteaux P, Munnich A, Clerget-Darpoux F: An extension of the admixture test for the study of genetic heterogeneity in hereditary multiple exostoses 298
- Leigh SEA → Lloyd SE
- Lemdani M → Legeai-Mallet L
- Le Merrer M → Legeai-Mallet L
- Le Merrer M → Toutain A
- Lench NJ, Macadam R, Markham AF: The human gene encoding FKBP-rapamycin associated protein (FRAP) maps to chromosomal band 1p36.2 547
- Lepaslier D → Fathallah DM
- Lerman MI → Latif F
- Leuven JAG → Lombardi P
- Levo A → Lajic S
- Levo A, Partanen J: Mutation-haplotype analysis of steroid 21-hydroxylase (CYP21) deficiency in Finland. Implications for the population history of defective alleles 488
- Lewanda AF → Wyszynski DF
- Li H → Latif F
- Li J, Iwamoto S, Sugimoto N, Okuda H, Kajii E: Dinucleotide repeat in the 3' flanking region provides a clue to the molecular evolution of the Duffy gene 573
- Lichter P → Kraus J
- Liebaers I → Vervoort R
- Liljenberg U → Brøndum-Nielsen K
- Lin M-W, Sham P, Hwu H-G, Collier D, Murray R, Powell JF: Suggestive evidence for linkage of schizophrenia to markers on chromosome 13 in Caucasian but not Oriental populations 417
- Lin S-P → Lee H-H
- Lin X → Wells DE
- Lin Z → Lassam NJ
- Lingenhel A → Erdel M
- Lips CJM → Wit MJ de
- Lissens W → Marsac C
- Lissens W → Vervoort R
- Liu W, Faraco J, Qian C, Francke U: The gene for microfibril-associated protein-1 (MFAP1) is located several megabases centromeric to FBN1 and is not mutated in Marfan syndrome 578
- Liu W → Schrijver I
- Lloyd SE, Pang JT, Pearce SHS, Leigh SEA, Thakker RV: Exclusion of ZFM1 as a candidate gene for multiple endocrine neoplasia type 1 (MEN1) 585
- Löfgren A → Krols L
- Lombardi P, Sijbrands EJG, Kamerling S, Leuven JAG, Havekes LM: The T7051 mutation of the low density lipoprotein receptor gene (FH Paris-9) does not cause familial hypercholesterolemia 106
- Lombardo T → Fichera M
- Losekoot M → Harteveld KL
- Lowe J → Morgan K
- Ludescher E → Erdel M
- Lüdecke H-J → Nardmann J
- Lundberg Y → Lajic S
- Ma W-J, Furneaux H: Localization of the human HuR gene to chromosome 19p13.2 32
- Macadam R → Lench NJ
- Macek M Jr, Macek M Sr, Krebsová A, Nash E, Hamosh A, Reis A, Varon-Mateeva R, Schmidtke J, Maestri NE, Sperling K, Krawczak M, Cutting GR: Possible association of the allele status of the CS.7/HhaI polymorphism 5' of the *CFTR* gene with postnatal female survival 565
- Macek M Sr → Macek M Jr
- Mach B → Bontron S
- Macha ME → Huang B
- Madan K, Nieuwint AWM, Bever Y van: Recombination in a balanced complex translocation of a mother leading to a balanced reciprocal translocation in the child. Review of 60 cases of balanced complex translocations 806
- Maestri N → Wyszynski DF
- Maestri NE → Macek M Jr
- Magyari M → Zsurka G
- Makałowski W: *Mermaid*: a not-so-new family of human repetitive elements 696
- Malet P → Baranova H
- Mangerini R → Ferraris AM
- Mangiarini L → Sathasivam K
- Marco M → Martínez-Mir A
- Margaritte-Jeannin P → Legeai-Mallet L
- Margolis RL → Alford RL
- Mari D → De Benedictis G
- Marino B → Digilio MC
- Markham AF → Lench NJ
- Maroteaux P → Legeai-Mallet L
- Márquez C → Colls P
- Marsac C, Benelli C, Desguerre I, Diry M, Fouque F, De Meirleir L, Ponsot G, Seneca S, Poggi F, Saudubray J-M, Zabot M-T, Fontan D, Lissens W: Biochemical and genetic studies of four patients with pyruvate dehydrogenase E1 α deficiency 785
- Martin J-J → Krols L
- Martin RH, Ernst S, Rademaker A, Barclay L, Ko E, Summers N: Chromosomal abnormalities in sperm from testicular cancer patients before and after chemotherapy 214
- Martin-Coignard D → Oudet C
- Martin Núñez G → Ribeiro ML
- Martínez F → Bort S
- Martínez-Mir A, Vilela C, Bayés M, Valverde D, Dain L, Beneyto M, Marco M, Baiget M, Grinberg D, Balcells S, González-Duarte R, Vilageliu L: Putative association of a mutant ROM1 allele with retinitis pigmentosa 827
- Martínez-Pasarell O → Colls P
- Martorell L → Pujana MA
- Marynen P → Vermeesch JR
- Mason B → Goto M
- Mateu E → Comas D
- Mateu E → Pérez-Lezaun A
- Matsuda I → Nishiyori A
- Matsui K → Suzuki K
- Matsumoto N, Ohashi H, Kato R, Fujimoto M, Tsujita T, Sasaki T, Nakano M, Miyoshi O, Fukushima Y, Niikawa N: Molecular mapping of a translocation breakpoint at 14q13 in a patient with mirror-image polydactyly of hands and feet 450
- Matsumoto T → Goto M
- Matsuo N → Ogata T
- Matsuura T → Nishiyori A
- Mattace R → De Benedictis G
- Mautner V-F → Kluwe L
- May FEB, Westley BR: Close physical linkage of the genes encoding the pNR-2/pS2 protein and human spasmodic protein (hSP) 303
- Maynard J, Krawczak M, Upadhyaya M: Characterization and significance of nine novel mutations in exon 16 of the neurofibromatosis type 1 (NF1) gene 674
- Maynard J → Upadhyaya M
- McElreavey K → Veitia R
- McIntosh I → Wyszynski DF
- McMahon C → Jones AM
- Mehnert KU → Kehrer-Sawatzki H
- Mehraein Y, Wippermann C-F, Michel-Behnke I, Nhan Ngo TK, Hillig U, Giersberg M, Aulepp U, Barth H, Fritz B, Rehder H: Microdeletion 22q11 in complex cardiovascular malformations 433
- MeiBlitzer C → Ruppitsch W
- Meo T → Veitia R
- Mercier S, Bresson JL: Analysis of chromosomal equipment in spermatozoa of a 46,XY/47,XY/+8 male by means of multicolour fluorescent in situ hybridization: confirmation of a mosaicism and evaluation of risk for offspring 42
- Merk H → Lam HM
- Michel S → Eggeling F von
- Michel-Behnke I → Mehraein Y
- Michelmann HW → Guttenbach M
- Michelsen BK → Rambrand T
- Middelton L → Puck JM
- Millán JM → Bort S
- Milon L, Rousseau-Merck M-F, Munier A, Erent M, Lascu I, Capeau J, Lacombe M-L: *nm23-H4*, a new member of the family of human *nm23*/nucleoside diphosphate kinase genes localised on chromosome 16p13 550
- Miniou P, Jeanpierre M, Bourc'his D, Coutinho Barbosa AC, Blanquet V, Viegas-Péquignot E: α -Satellite DNA methylation in normal individuals and in ICF patients: heterogeneous methylation of constitutive heterochromatin in adult and fetal tissues 738
- Minna JD → Latif F
- Mishra S → Singh V
- Miterski B → Epplen C
- Mitsuma T → Yamamoto M
- Mittal B → Singh V
- Mittal RD → Singh V
- Miwa M → Fujiwara Y

- Miyawaki S → Akaboshi S
Miyazaki S → Nishiyori A
Miyazaki T → Suzuki K
Miyoshi O → Matsumoto N
Moderau I → Eggemann T
Mohkamsing S → Willemsen R
Molijn G-J → Koper JW
Momoi T → Yorifuji T
Monos DS → Schwiebert LM
Monteil M → Chevret E
Monti D → De Benedictis G
Moraine C → Toutain A
Morellini M → De Benedictis G
Moreno F → Carmen Valero M
Morgan K, Morgan L, Carpenter K, Lowe J, Lam L, Cave S, Xuereb J, Wischik C, Harrington C, Kalsheker NA: Microsatellite polymorphism of the α_1 -antichymotrypsin gene locus associated with sporadic Alzheimer's disease 27
Morgan L → Morgan K
Mori M → Nishiyori A
Mori Y, Shiwaku H, Fukushima S, Wakatsuki S, Sato M, Nukiwa T, Horii A: Alternative splicing of *hMSH2* in normal human tissues 590
Moschonas NK → ArgYROkastritis A
Mouraire P → Baranova H
Müller H → Dobbie Z
Müller J → Schwartz M
Mulley JC → Hollway GE
Munier A → Milon L
Munnich A → Legeai-Mallet L
Muntoni F → Naom I
Muroi J → Yorifuji T
Murray R → Lin M-W
Mustajoki P → Oksanen L
Nagasawa T → Osawa M
Nakamura H → Yuasa I
Nakamura M → Faizunnessa NN
Nakamura M, Zhang Z, Shan L, Hisa T, Sasaki M, Tsukino R, Yokoi T, Kaname A, Kakudo K: Allelic variants of human calcitonin receptor in the Japanese population 38
Nakano M → Matsumoto N
Namkoong Y → Chae JJ
Nanba E → Yuasa I
Naom I, D'Alessandro M, Sewry C, Ferlini A, Topaloglu H, Helbling-Leclerc A, Guicheney P, Schwartz K, Akcoren Z, Dubowitz V, Muntoni F: The role of immunocytochemistry and linkage analysis in the prenatal diagnosis of merosin-deficient congenital muscular dystrophy 535
Nardmann J, Tranebjærg L, Horsthemke B, Lüdecke H-J: The tricho-rhino-phalangeal syndromes: frequency and parental origin of 8q deletions 638
Nash E → Macek M Jr
Nedkova V → Angelicheva D
Nelis E → Bort S
Neophytou P → Constantinides R
Nerup J → Rambrand T
Neubauer M → Nonoyama S
Ng H-T → Lee H-H
Nhan Ngo TK → Mehraein Y
Nieuwint AWM → Madan K
Niikawa N → Matsumoto N
Nikoshkov A → Lajic S
Nishimura T → Yamamoto M
Nishiyori A, Yoshino M, Kato H, Mat-suura T, Hoshide R, Matsuda I, Kuno T, Miyazaki S, Hirose S, Kuromaru R, Mori M: The R40H mutation in a late onset type of human ornithine trans-carbamylase deficiency in male patients 171
Nizetic D → Scartezzini P
Nobori T → Fujiwara Y
Nöthen MM → Deckert J
Nogami M → Fujiwara Y
Nomura S → Constantinides R
Nonoyama S, Shimadzu M, Toru H, Seyama K, Nunoi H, Neubauer M, Yata J, Och HD: Mutations of the CD40 ligand gene in 13 Japanese patients with X-linked hyper-IgM syndrome 624
Nordenskjöld M → Weber G
Norrgård KJ → Pomponio RJ
Nukiwa T → Mori Y
Nunoi H → Nonoyama S
Nussbaum RL, Orrison BM, Jänne PA, Charnas L, Chinault AC: Physical mapping and genomic structure of the Lowe syndrome gene *OCRL1* 145
Nuytincq L → De Paepe A
Och HD → Nonoyama S
Öhman M → Oksanen L
Ogata T, Hasegawa T, Matsuo N: Further clinical model for the possible impairment of a putative lymphogenic gene(s) for Turner stigmata 290
Ohashi H → Matsumoto N
Ohashi H → Yamamoto M
Ohki T → Osawa M
Ohlsson G, Schwartz M: Mutations in the gene encoding 21-hydroxylase detected by solid-phase minisequencing 98
Ohnishi A → Yamamoto M
Ohno K → Akaboshi S
Oksanen L, Öhman M, Heiman M, Kainulainen K, Kaprio J, Mustajoki P, Koivisto V, Koskenvuo M, Jänne OA, Peltonen L, Kontula K: Markers for the gene *ob* and serum leptin levels in human morbid obesity 559
Okuda H → Li J
Okumura K → Fujiwara Y
Ono SJ → Schwiebert LM
Oostra BA → Willemsen R
Ormos J → Zsurka G
Orrison BM → Nussbaum RL
Osawa M → Kondo-Iida E
Osawa M, Umetsu K, Ohki T, Nagasawa T, Suzuki T, Takeichi S: Molecular evidence for human alpha2-HS glycoprotein (AHSG) polymorphism 18
Osborn MJ → Upadhyaya M
Oshima M → Takai S
Ostrer H → Veitia R
Oudet C, Martin-Coignard D, Pannetier S, Praud E, Champion G, Hanauer A: A second family with XLRH displays the mutation S244L in the *CLCN5* gene 781
Ouweland A van den → Willemsen R
Pacini F → Ferraris AM
Palau F → Bort S
Palotie A → Kaukonen J
Pang JT → Lloyd SE
Pannetier S → Oudet C
Papenhause PN → Huang B
Park YB → Chae JJ
Partanen J → Lajic S
Partanen J → Levo A
Pascual-Castroviejo I → Carmen Valero M
Peacocke M → Lam HM
Pearce SHS → Lloyd SE
Pedersen W → Brøndum-Nielsen K
Pelletier R → Chevret E
Peltonen L → Oksanen L
Pena SDJ → Haddad LA
Pepper AE → Puck JM
Perea FJ → Villalobos-Arámbula AR
Pérez-Lezaun A, Calafell F, Mateu E, Comas D, Ruiz-Pacheco R, Bertran-petit J: Microsatellite variation and the differentiation of modern humans 1
Pérez-Lezaun A → Comas D
Perriot J → Baranova H
Petersen MB → Brøndum-Nielsen K
Petit P → Vermeesch JR
Petit P: Interstitial telomere DNA sequences are not detectable at breaking sites of classical heritable fragile sites 424
Petrides PE → Coutre P le
Petrou M → El-Hashemite N
Phelan C → Weber G
Piantanida M, Dellavecchia C, Floridia G, Giglio S, Hoeller H, Dordi B, Danesino C, Schinzel A, Zuffardi O: Ataxic gait and mental retardation with absence of the paternal chromosome 8 and an *idic(8)(p23.3)*: imprinting effect or nullisomy for distal 8p genes? 766
Pichaud F, Delage-Mourroux R, Pidoux E, Jullienne A, Rousseau-Merck M-F: Chromosomal localization of the type-I 15-PGDH gene to 4q34-q35 279
Pidoux E → Pichaud F
Piemontese MR → Savoia A
Pierides A → Constantinides R
Pinchera A → Ferraris AM
Pinto D → Rocha J
Plauchu H → Legeai-Mallet L
Pociot F → Rambrand T
Poggi F → Marsac C
Poh-Fitzpatrick M → Lam HM
Pols HAP → Koper JW
Pomponio RJ, Norrgård KJ, Hymes J, Reynolds TR, Buck GA, Baumgartner R, Suormala T, Wolf B: Arg538 to Cys mutation in a CpG dinucleotide of the human biotinidase gene is the second most common cause of profound biotinidase deficiency in symptomatic children 506
Ponsot G → Marsac C
Powell JF → Lin M-W
Pradhan S → Singh V
Praud E → Oudet C
Prchal JT → Jenkins MM
Prieto F → Bort S
Pronk J → Savoia A
Propping P → Deckert J
Przuntek H → Haupt A
Przuntek H → Riess O
Puck JM, Middleton L, Pepper AE: Carrier and prenatal diagnosis of X-linked severe combined immunodeficiency

- ciency: mutation detection methods and utilization 628
- Pujana MA, Martorell L, Volpini V, Valero J, Labad A, Vilella E, Estivill X: Analysis of amino-acid and nucleotide variants in the spinocerebellar ataxia type 1 (*SCA1*) gene in schizophrenic patients 772
- Qian C → Liu W
- Quattrocchi P → Coutelle C
- Rademaker A → Martin RH
- Rady MS → El-Hashemite N
- Raes M → De Paepe A
- Ragusa A → Fichera M
- Rambrand T, Pociot F, Rønningen K, Nerup J, Michelsen BK: Genetic markers for glutamic acid decarboxylase do not predict insulin-dependent diabetes mellitus in pairs of affected siblings 177
- Ramchand CN → Wei J
- Ramenghi U → Savoia A
- Ramsay M → Stevens G
- Rasore-Quartino A → Scartezzini P
- Rehder H → Mehraein Y
- Reis A → Macek M Jr
- Reynolds TR → Pomponio RJ
- Ribeiro ML, Cunha E, Gonçalves P, Martín Núñez G, Fernandez Galan MA, Tamagnini GP, Smetanina NS, Gu LH, Huisman THJ: Hb Lepore-Baltimore ($\delta^{68\text{Leu}}\text{-}\beta^{84\text{Thr}}$) and Hb Lepore-Washington-Boston ($\delta^{87\text{Gln}}\text{-}\beta^{\text{IVS-II-8}}$) in Central Portugal and Spanish Alta Extremadura 669
- Richards CS → Alford RL
- Riess O, Epplen JT, Amoiridis G, Przuntek H, Schöls L: Transmission distortion of the mutant alleles in spinocerebellar ataxia 282
- Ringelstein EB → Stögbauer F
- Riol N → Baranova H
- Riva E → Argiolas A
- Robb L → Toutain A
- Robinson DO, Bunyan DJ, Gabb HA, Temple IK, Yau SC: A small intra-exonic deletion within the dystrophin gene suggests a possible mechanism of mutagenesis 658
- Rocha J, Pinto D, Santos MT, Amorim A, Amil-Dias J, Cardoso-Rodrigues F, Aguiar Á: Analysis of the allelic diversity of a (CA)_n repeat polymorphism among $\alpha 1$ -antitrypsin gene products from northern Portugal 194
- Romano V → Argiolas A
- Romei C → Ferraris AM
- Ronce N → Toutain A
- Rønningen K → Rambrand T
- Rose G → De Benedictis G
- Rosenberg T → Jonasdottir A
- Ross CA → Alford RL
- Rossier C → Scott HS
- Rousseau-Merck M-F → Milon L
- Rousseau-Merck M-F → Pichaud F
- Rousseaux S → Chevret E
- Rubio C → Blanco J
- Ruffolo R → De Benedictis G
- Ruiz-Pacheco R → Pérez-Lezaun A
- Ruppitsch W, Meißlitz C, Weirich-Schwaiger H, Klocker H, Scheidereit C, Schweiger M, Hirsch-Kauffmann M: The role of oxygen metabolism for the pathological phenotype of Fanconi anemia 710
- Saito K → Kondo-Iida E
- Sakamoto K → Hakoda M
- Sakuma R → Fujimori S
- Sanchez-Mazas A → Dard P
- Sand A → Brøndum-Nielsen K
- Sandelin K → Farnebo F
- Sansoni P → De Benedictis G
- Santos EJM → Epplen C
- Santos MT → Rocha J
- Sasaki H → Daimon M
- Sasaki H → Yorifuji T
- Sasaki M → Nakamura M
- Sasaki T → Matsumoto N
- Sassa S → Lam HM
- Sathasivam K, Amaechi I, Mangiarini L, Bates G: Identification of an HD patient with a (CAG)₁₈₀ repeat expansion and the propagation of highly expanded CAG repeats in lambda phage 692
- Sato M → Mori Y
- Saudubray J-M → Marsac C
- Savino M → Savoia A
- Savoia A, Piemontese MR, Savino M, Zatterale A, Pronk J, Arwert F, Joenje H, Ramenghi U, Dagna-Bricarelli F, Dalla-piccola B, Zelante L: Linkage analysis of Fanconi anaemia in Italy and mapping of the complementation group A gene 93
- Savov A → Angelicheva D
- Scartezzini P, Egeo A, Colella S, Fumagalli P, Arrigo P, Nizetic D, Taramelli R, Rasore-Quartino A: Cloning a new human gene from chromosome 21q22.3 encoding a glutamic acid-rich protein expressed in heart and skeletal muscle 387
- Scheffer H → Vries HG de
- Scheidereit C → Ruppitsch W
- Schilirò G → Fichera M
- Schimmel B → Eggeling F von
- Schinkel A → Piantanida M
- Schmid M → Guttenbach M
- Schmidtke J → Macek M Jr
- Schneider GH → Wu B-L
- Schöls L → Epplen C
- Schöls L → Haupt A
- Schöls L → Riess O
- Schofield PR → Deckert J
- Schoof JM → Chen S-H
- Schrijver I, Liu W, Francke U: The pathogenicity of the Pro1148Ala substitution in the FBN1 gene: causing or predisposing to Marfan syndrome and aortic aneurysm, or clinically innocent? 607
- Schuffenhauer S → Deckert J
- Schurra C → Kraus J
- Schwanitz G → Eggermann T
- Schwartz K → Naom I
- Schwartz M, Blichfeldt S, Müller J: X-linked adrenal hypoplasia in a large Greenlandic family. Detection of a missense mutation (N440I) in the DAX-1 gene; implication for genetic counselling and carrier diagnosis 83
- Schwartz M → Ohlsson G
- Schweiger M → Ruppitsch W
- Schwiebert LM, Hughes A, Monos DS, Ono SJ: HLA-DRA promoter polymorphism and diversity generation within the immune system 801
- Scott CR → Chen S-H
- Scott HS, Chen H, Rossier C, Lalioti MD, Antonarakis SE: Isolation of a human gene (*HES1*) with homology to an *Escherichia coli* and a zebrafish protein that maps to chromosome 21q22.3 616
- Scott RJ → Dobbie Z
- Seebacher T → Kraus J
- Sekido Y → Latif F
- Sèle B → Chevret E
- Seneca S → Marsac C
- Sevilla T → Bort S
- Sewry C → Naom I
- Seyama K → Nonoyama S
- Sham P → Lin M-W
- Shan L → Nakamura M
- Shapiro BL: Whither Down syndrome critical regions? 421
- Shennan MG → Lassam NJ
- Shimadzu M → Nonoyama S
- Shiwaku H → Mori Y
- Shriver MD → Ishwad CS
- Siddique T → Isozumi K
- Sie OG → Janssen EAM
- Sijbrands EJG → Lombardi P
- Simon C → Blanco J
- Sing CF → Haviland MB
- Singh V, Sinha S, Mishra S, Chaturvedi LS, Pradhan S, Mittal RD, Mittal B: Proportion and pattern of dystrophin gene deletions in North Indian Duchenne and Becker muscular dystrophy patients 206
- Sinha S → Singh V
- Sinke RJ → Wit MJ de
- Sisternans E → Willemsen R
- Skovby F → Brøndum-Nielsen K
- Sly WS → Fathallah DM
- Smetanina NS → Ribeiro ML
- Smith EA → Wyszynski DF
- Smits A → Willemsen R
- Smit Sibinga CT → Vries HG de
- Sobue G → Yamamoto M
- Song GJ → Chae JJ
- Song Q, Chao J, Chao L: DNA polymorphisms in the 5'-flanking region of the human tissue kallikrein gene 727
- Sonkodi S → Zsurka G
- Souleyreau N → Veitia R
- Spadafora P → De Benedictis G
- Spalletta A → Fichera M
- Speleman F → Vermeesch JR
- Sperling K → Macek M Jr
- Spoelders P → Stögbauer F
- Spurr NK → Deckert J
- Stafanger G → Brøndum-Nielsen K
- Steimle V → Bontron S
- Stevanin G → Krols L
- Stevens G, Ramsay M, Jenkins T: Oculocutaneous albinism (*OCA2*) in sub-Saharan Africa: distribution of the common 2.7-kb *P* gene deletion mutation 523
- Stögbauer F, Young P, Timmerman V, Spoelders P, Ringelstein EB, Van Broeckhoven C, Kurlmann G: Refinement of the hereditary neuralgic amyotrophy (*HNA*) locus to chromosome 17q24-q25 685

- Stolk RP → Koper JW
 Stoneking M → Zucman-Rossi J
 Sugawara M → Daimon M
 Sugawara M → Goto M
 Sugimoto M → Goto M
 Sugimoto N → Li J
 Summers N → Martin RH
 Suormala T → Pomponio RJ
 Suthers GK → Hollway GE
 Suzuki K, Iwata M, Tsuji H, Takagi T, Tamura A, Ishimoto G, Ito S, Matsui K, Miyazaki T: A de novo recombination in the ABO blood group gene and evidence for the occurrence of recombination products 454
 Suzuki N → Goto M
 Suzuki T → Fujiwara Y
 Suzuki T → Osawa M
 Suzuki T → Watanabe G
 Svensson A → Farnebo F
- Takagi T → Suzuki K
 Takai S, Hinoda Y, Adachi T, Imai K, Oshima M: A human UPD-GalNAc: polypeptide, *N*-acetylgalactosaminyl-transferase type 1 gene is located at the chromosomal region 18q12.1 293
 Takeichi S → Osawa M
 Takeshita K → Akaboshi S
 Talianidis I → Argyrokastritis A
 Tamagnini GP → Ribeiro ML
 Tamaki N → Yuasa I
 Tamanoi F → Upadhyaya M
 Tamouza R → Fichera M
 Tamura A → Suzuki K
 Tan KH → Hoyle J
 Tanaka H → Kondo-Iida E
 Taramelli R → Scartezzini P
 Tartaglia M, Valeri S, Velardi F, Di Rocco C, Battaglia PA: Trp290Cys mutation in exon IIIa of the fibroblast growth factor receptor 2 (FGFR2) gene is associated with Pfeiffer syndrome 602
 Teh BT → Farnebo F
 Teh BT → Lassam NJ
 Templado C → Colls P
 Temple IK → Robinson DO
 Terai C → Hakoda M
 Thakker RV → Lloyd SE
 Thein SL → Villalobos-Arámbula AR
 Thomas G → Zucman-Rossi J
 Thompson E → Hollway GE
 Timmerman V → Bort S
 Timmerman V → Stögbauer F
 Toda T → Kondo-Iida E
 Tokutake Y → Goto M
 Tominaga M → Daimon M
 Tomlinson IPM → Beck NE
 Tommerup N → Brøndum-Nielsen K
 Topaloglu H → Naom I
 Toru H → Nonoyama S
 Tosi M → Veitia R
 Toutain A, Ronce N, Dessay B, Robb L, Francannet C, Le Merrer M, Briard M-L, Kaplan J, Moraine C: Nance-Horan syndrome: linkage analysis in 4 families refines localization in Xp22.31-p22.13 region 256
 Tranebjærg L → Nardmann J
 Tsou HC → Lam HM
 Tsuchiya T → Faizunnessa NN
 Tsuji H → Suzuki K
- Tsuji S → Kondo-Iida E
 Tsujita T → Matsumoto N
 Tsukino R → Nakamura M
 Tümmer U → Kehrer-Sawatzki H
 Túri S → Zsurka G
 Tzagoloff A → Amaravadi R
 Tzancheva M, Komitowski D: Latent chromosomal instability in cancer patients 47
 Tzetis M, Kanavakis E, Antoniadis T, Doudounakis S, Adam G, Kattamis C: Characterization of more than 85% of cystic fibrosis alleles in the Greek population, including five novel mutations 121
- Ucla C → Bontron S
 Ueda M → Fujiwara Y
 Umetsu K → Osawa M
 Umetsu K → Watanabe G
 Umetsu K → Yuasa I
 Upadhyaya M → Maynard J
 Upadhyaya M, Osborn MJ, Maynard J, Kim MR, Tamanoi F, Cooper DN: Mutational and functional analysis of the neurofibromatosis type 1 (*NFI*) gene 88
 Usson Y → Chevret E
 Utermann B → Erdel M
 Utermann G → Erdel M
- Valeri S → Tartaglia M
 Valero J → Pujana MA
 Valverde D → Martínez-Mir A
 Van Broeckhoven C → Bort S
 Van Broeckhoven C → Krols L
 Van Broeckhoven C → Stögbauer F
 Van Camp G → Van Laer L
 Van Laer L, Van Camp G, Green ED, Huizing EH, Willems PJ: Physical mapping of the HOXA1 gene and the hnRPA2B1 gene in a YAC contig from human chromosome 7p14-p15 831
 Van Regemorter N → Krols L
 Varon-Mateeva R → Macek M Jr
 Veitia R, Ion A, Barbaux S, Jobling MA, Souleyreau N, Ennis K, Ostrer H, Tosi M, Meo T, Chibani J, Fellous M, McElreavey K: Mutations and sequence variants in the testis-determining region of the Y chromosome in individuals with a 46,XY female phenotype 648
 Velardi F → Tartaglia M
 Velasco E → Carmen Valero M
 Veldhuizen MHR van → Vries HG de
 Venetianer P → Zsurka G
 Verdorfer I → Erdel M
 Vermeesch JR, Petit P, Speleman F, Devriendt K, Fryns J-P, Marynen P: Interstitial telomeric sequences at the junction site of a jumping translocation 735
 Vervoort R, Buist NRM, Kleijer WJ, Wevers R, Fryns J-P, Liebaers I, Lissens W: Molecular analysis of the β -glucuronidase gene: novel mutations in mucopolysaccharidosis type VII and heterogeneity of the polyadenylation region 462
 Vidal F → Blanco J
 Vidal F → Colls P
 Viegas-Péguignot E → Miniou P
- Vilageliu L → Martínez-Mir A
 Vilchez JJ → Bort S
 Vilela C → Martínez-Mir A
 Vilella E → Pujana MA
 Villalobos-Arámbula AR, Bustos R, Casas-Castañeda M, Gutiérrez E, Perea FJ, Thein SL, Ibarra B: β -Thalassemia and β^A globin gene haplotypes in Mexican mestizos 498
 Vinageras-Guarneros E → Wyszynski DF
 Visser M de → Janssen EAM
 Vogt U → Yuasa I
 Volpini V → Pujana MA
 Vries B de → Willemssen R
 Vries HG de, Collée JM, Walle HEK de, Veldhuizen MHR van, Smit Sibinga CT, Scheffer H, Kate LP ten: Prevalence of $\Delta F508$ cystic fibrosis carriers in The Netherlands: logistic regression on sex, age, region of residence and number of offspring 74
- Wadelius C → Edman Ahlbom B
 Wagner MJ → Wells DE
 Wakatsuki S → Mori Y
 Walle HEK de → Vries HG de
 Ward PJ → Coutelle C
 Wassif WS → Farnebo F
 Watanabe G, Umetsu K, Yuasa I, Suzuki T: Amplified product length polymorphism (APLP): a novel strategy for genotyping the ABO blood group 34
 Weber G, Grimmond S, Lagercrantz J, Friedman E, Phelan C, Carson E, Hayward N, Jacobovitz O, Norden-skjöld M, Larsson C: Exclusion of the phosphoinositide-specific phospholipase C $\beta 3$ (*PLCB3*) gene as a candidate for multiple endocrine neoplasia type 1 130
 Weber RG → Kraus J
 Wedell A → Lajic S
 Wei J, Ramchand CN, Hemmings GP: Possible control of dopamine β -hydroxylase via a codominant mechanism associated with the polymorphic (GT) $_n$ repeat at its gene locus in healthy individuals 52
 Weirich-Schwaiger H → Ruppitsch W
 Wells DE, Hill A, Lin X, Ahn J, Brown N, Wagner MJ: Identification of novel mutations in the human EXT1 tumor suppressor gene 612
 Weremowicz S → Wu B-L
 Westley BR → May FEB
 Wevers R → Vervoort R
 White I → Farnebo F
 Willems PJ → Van Laer L
 Willemssen R, Smits A, Mohkamsing S, Beerendonk H van, Haan A de, Vries B de, Ouweland A van den, Sistermans E, Galjaard H, Oostra BA: Rapid antibody test for diagnosing fragile X syndrome: a validation of the technique 308
 Winston RML → Delhanty JDA
 Wippermann C-F → Mehraein Y
 Wischik C → Morgan K
 Wit MJ de, Landsvater RM, Sinke RJ, Geurts van Kessel A, Lips CJM, Höppener JWM: Exclusion of the phosphatidylinositol-specific phospholipase C $\beta 3$ (PLC $\beta 3$) gene as candidate

- for the multiple endocrine neoplasia type 1 (MEN 1) gene 133
- Wolf B → Pomponio RJ
- Wolf-Ledbetter ME → Huang B
- Wu B-L, Boles RG, Yaari H, Weremowicz S, Schneider GH, Korf BR: Somatic mosaicism for deletion of the entire *NF1* gene identified by FISH 209
- Wulfsberg E → Wyszynski DF
- Wyszynski DF, Maestri N, McIntosh I, Smith EA, Lewanda AF, Garcia-Delgado C, Vinageras-Guarneros E, Wulfsberg E, Beaty TH: Evidence for an association between markers on chromosome 19q and non-syndromic cleft lip with or without cleft palate in two groups of multiplex families 22
- Xenophontos S → Constantinides R
- Xuereb J → Morgan K
- Yaari H → Wu B-L
- Yamabe Y → Goto M
- Yamamoto M, Yasuda T, Hayasaka K, Ohnishi A, Yoshikawa H, Yanagihara T, Ikegami T, Yamamoto T, Ohashi H, Nishimura T, Mitsuma T, Kiyosawa H, Chance PF, Sobue G: Locations of cross-over breakpoints within the CMT1A-REP repeat in Japanese patients with CMT1A and HNPP 151
- Yamamoto T → Yamamoto M
- Yamanaka H → Fujimori S
- Yamanaka H → Hakoda M
- Yamaoka N → Fujimori S
- Yamatani K → Daimon M
- Yanagihara T → Yamamoto M
- Yang M-L → Lee H-H
- Yankova P → Angelicheva D
- Yano T → Akaboshi S
- Yaqoob M → Edman Ahlbom B
- Yasuda T → Yamamoto M
- Yata J → Nonoyama S
- Yau SC → Robinson DO
- Yokoi T → Nakamura M
- Yorifuji T, Muroi J, Kawai M, Sasaki H, Momoi T, Furusho K: PCR-based detection of mosaicism in Turner syndrome patients 62
- Yoshikawa H → Yamamoto M
- Yoshino M → Nishiyori A
- Young P → Stögbauer F
- Yuasa I, Umetsu K, Vogt U, Nakamura H, Nanba E, Tamaki N, Irizawa Y: Human orosomucoid polymorphism: molecular basis of the three common ORM1 alleles, ORM1*F1, ORM1*F2, and ORM1*S 393
- Yuasa I → Watanabe G
- Zabot M-T → Marsac C
- Zatterale A → Savoia A
- Zbar B → Latif F
- Zelante L → Savoia A
- Zetterqvist P → Brøndum-Nielsen K
- Zhang Z → Nakamura M
- Zsurka G, Ormos J, Iványi B, Túri S, Endreffy E, Magyari M, Sonkodi S, Venetianer P: Mitochondrial mutation as a probable causative factor in familial progressive tubulointerstitial nephritis 484
- Zucman-Rossi J, Batzer MA, Stoneking M, Delattre O, Thomas G: Interethnic polymorphism of EWS intron 6: genome plasticity mediated by Alu retroposition and recombination 357
- Zuffardi O → Piantanida M
- Announcements* 142, 291, 425, 558, 699, 837
- Editorial help* 143
- Indexed in Current Contents and Index Medicus*

